

## Original Articles

1. Imai M, Hoshi T, Ogawa K. K-ras codon 12 mutation in biliary tract tumors detected by polymerase chain reaction denaturing gradient gel electrophoresis. *CANCER* 1994; 73: 2723-2733.
2. Hoshi T, Imai M, Ogawa K. Frequent K-ras mutations and absence of P 53 mutations in mucin producing tumors of the pancreas. *J Surg Oncol* 1994; 55: 84-91.
3. Yonekawa M, Takahashi M, Kukita K, Meguro J, Tamaki T, Kawamura K, Yanagida N, Kurauchi N, Okano M, Imai M, Sakashita E. Influences of extracorporeal circulation and anti-coagulants on elevation of EDA(+) fibronectin in plasma. *Jap J Artif Organs* 1995; 24: 770-774.
4. Yonekawa M, Kukita K, Kawamura K, Yanagida N, Imai M, Okano M, Takahashi M, Meguro J, Tamaki T, Ohnishi K, Sugishita Y, Sakashita E. Cooling system on cryofiltration. *Clin Pharmacotherapy* 1995; 5: 1295-1298.
5. Takahashi M, Yanagida N, Kurauchi N, Imai M, Okano M, Tamaki T, Meguro J, Kukita K, Yonekawa M, Kawamura K. Liver preservation under room temperature for transplantation. *J Sapporo Med Assoc* 1995; 155: 255-288.
6. Takahashi M, Yonekawa M, Meguro J, Kukita K, Kawamura K, Yanagida N, Okano M, Kurauchi N, Imai M, Ohnishi K, Sugioka Y, Sakashita E. Development of an automatic cryofiltration system. *Jap J Apheresis* 1996; 15: 122-123.
7. Kato K, Kasai S, Onodera K, Sawa M, Kawabata N, Nakazawa F, Imai M, Kino Y, Kawahara T, Jiang B, Mito M. Effectivity of human hepatocyte growth factor for growing of transplanted hepatocytes in rat spleen. *Acta Hepato Jap* 1996; 37: 187-188.
8. Kato K, Hodgson WJB, Abraham NG, Onodera K, Imai M, Kasai S, Mito M. Expression and inducibility of cytochrome P450 IIIA family within intrasplenically transplanted fetal hepatocytes. *Cell Transplant* 1996; 5: 117-122.

9. Kato K, Onodera K, Sawa M, Imai M, Kawahara T, Kasai S, Mito M. Effect of hepatocyte growth factor on the proliferation of intrasplenically transplanted hepatocytes in rats. *Biochem Biophys Res Commun* 1996; 222: 101-106.
10. Kukita K, Takahashi M, Meguro J, Yonekawa M, Yanagida N, Kurauchi N, Okano M, Imai M, Kawamura K. Analysis for against of thrombosis in double lumen catheter application. *Clin Dialysis* 1997; 13: 121-125.
11. Kato K, Kato J, Hodgson WJB, Abraham NG, Onodera K, Imai M, Kasai S, Mito M. Enzymatic activity and expression of cytochrome P450 Law within intrasplenically transplanted fetal hepatocytes in spontaneously hypertensive rats. *Cell Transplant* 1997; 6: 531-534.
12. Kato K, Onodera K, Imai M, Kawahara T, Kasai S, Mito M. The effect of human hepatocyte growth factor by continuous injection into artery for growing of transplanted hepatocytes in rat spleen. *Acta Hepato Jap* 1997; 38: 393-394.
13. Kato K, Onodera K, Sakata H, Imai M, Kato J, Hodgson WJB, Abraham NG, Kasai S, Mito M. Fatty acid omega and (omega-1)-oxidation within intrasplenically transplanted fetal hepatocytes. *Transplantation* 1998; 66: 441-445.
14. Schulte am Esch II J, Sévigny J, Kaczmarek E, Siegel JB, Koziak K, Imai M, Beaudoin AR, Robson SC. Structural elements and post-translational modifications of CD39 influence ATP diphosphohydrolase activity. *Biochemistry* 1999; 33: 2248-2258.
15. Enjyoji K, Sévigny J, Lin Y, Frenette PS, Christie PD, Schulte am Esch II J, Imai M, Edelberg JM, Rayburn H, Lech H, Beeler DL, Csizmadia E, Wagner DD, Rosenberg RD, Robson SC. Targeted disruption of cd39/ATP diphosphohydrolase results in disordered hemostasis and thromboregulation. *Nature Med.* 1999; 5: 1010-1017.
16. Imai M, Kaczmarek E, Koziak K, Sévigny J, Goepfert C, Guckelberger O, Schulte am Esch II J, Robson SC. Suppression of CD39/ATPDase in human vascular endothelial cells by antisense oligonucleotides. *Biochemistry* 1999; 38: 13473-13479.

17. Imai M, Takigami K, Guckelberger O, Enjoji K, Smith RN, Lin Y, Csizmadia E, Sévigny J, Rosenberg RD, Bach FH, Robson SC. Modulation of nucleoside triphosphate diphosphohydrolase-1/cd39 in xenograft rejection. *Mol Med* 1999; 5: 743-752.
18. Koziak K, Kaczmarek E, Kittel A, Sevigny J, Blusztajn JK, Schulte am Esch II J, Imai M, Guckelberger O, Goepfert C, Qawi I, Robson SC. Palmitoylation targets CD39/endothelial ATP diphosphohydrolase to caveolae. *J Biol Chem*. 2000 Jan 21;275(3):2057-2062.
19. Imai M, Goepfert C, Kaczmarek E, Robson SC. CD39 modulates IL-1 release from activated endothelial cells. *Biochem Biophys Res Commun*. 2000 Apr 2;270(1):272-8.
20. Goepfert C, Imai M, Brouard S, Csizmadia E, Kaczmarek E, Robson SC. CD39 modulates endothelial cell activation and apoptosis. *Mol Med*. 2000 Jul;6(7):591-603.
21. Imai M, Takigami K, , Guckelberger O, Kaczmarek E, Csizmadia E, Bach FH, Robson SC. Recombinant adenoviral mediated CD39 gene transfer prolongs cardiac xenograft survival. *Transplantation*. 2000 Sep 27;70(6):864-70.
22. Gangadharan SP, Imai M, Rhyhart KK, Sevigny J, Robson SC, Conte MS. Targeting platelet aggregation: CD39 gene transfer augments nucleoside triphosphate diphosphohydrolase activity in injured rabbit arteries. *Surgery* 2001 Aug;130(2):296-303.
23. Sevigny J, Sundberg C, Braum N, Guckelberger O, Csizmadia E, Qawi I, Imai M, Zimmermann H, Robson SC. Differential catalytic properties and vascular topography of murine NTPDase 1 and 2 have implications for thromboregulation. *Blood* 2002 Apr;99(8): 2801-2809
24. Guckelberger O, Sun X, Sevigny J, Imai M, Kaczmarek E, Enjoji K, Kruskal JB, Robson SC. Beneficial effect of CD39/ecto-nucleoside triphosphate diphosphohydrolase-1 in murine intestinal ischemia-reperfusion injury. *Thromb Haemost* 2004 Mar; 91(3): 576-86
25. Enjoji K, Kotani K, Thukral C, Blumel B, Sun X, Wu Y, Imai M, Friedman D, Csizmadia E, Bleibel W, Kahn BB, Robson SC. Deletion of cd39/entpd1 results in hepatic insulin resistance. *Diabetes*. 2008 Sep; 57(9): 2311-2320. Epub 2008 Jun 20.

26. Beldi G, Wu Y, Sun X, Imai M, Enjyoji K, Csizmadia E, Candinas D, Erb L, Robson SC. Regulated catalysis of extracellular nucleotides by vascular CD39/ENTPD1 is required for liver regeneration. *Gastroenterology*. 2008 Nov; 135(5): 1751-1760. Epub 2008 Jul 31.
27. Sun X, Imai M, Nowak-Machen M, Guckelberger O, Enjyoji K, Wu Y, Khalpey Z, Berberat P, Munasinghe J, Robson SC. Liver damage and systemic inflammatory responses are exacerbated by the genetic deletion of CD39 in total hepatic ischemia. *Purinergic Signal*. 2011 Dec;7(4):427-34. Epub 2011 Jun 9.
28. Yoshioka H, Atagi S, Katakami N, Fukuoka M, Imai M, Jap J Lung Cancer 2012; 52(5):623
29. Atagi S, Katakami N, Yoshioka H, Fukuoka M, Ogiwara A, Imai M, Ueda M, Matsui S. Nested case control study of proteomic biomarkers for interstitial lung disease in Japanese patients with non-small-cell lung cancer treated with erlotinib: a multicenter phase 4 study (JO21661). *Clinical Lung Cancer*. 2013 Jul; 14(4):407-17. Epub 2013 Mar 13
30. Ohta S, Tsuru T, Terao K, Mogi S, Suzaki M, Shono E, Ishida Y, Tarumi E, Imai M. Mechanism-based approach using a biomarker response to evaluate tocilizumab subcutaneous injection in patients with rheumatoid arthritis with an inadequate response to synthetic DMARDs (MATSURI Study). *J Clin Pharmacol* 2014 Jan;54(1):109-19. 2013 Sep;3. Epub

## **Proceedings of Meetings**

1. Kato K, Kasai S, Onodera K, Sawa M, Imai M, Matsuda M, Kawabata T, Mito M, Hodgson WJB. Developmental expression of cytochrome P450's within intrasplenically transplanted fetal hepatocytes. *Cell Transplant* 1996; 5(1 Suppl): 27S-30S .
2. Nakazawa F, Onodera K, Kato K, Sawa M, Imai M, Kasai S, Mito M. Multi-locational hepatocellular transplantation for treatment of congenital ascorbic acid deficiency rats. *Cell Transplant* 1996; 5(1 Suppl): 23S-25S.

3. Kawahara T, Kato K, Sawa M, Imai M, Kasai S, Mito M. Effect of FAS and FAS ligand interaction on allogeneically transplanted hepatocytes into the spleen. *Transplantation Proceedings* 1997; 29: 2187-2188.
4. Kato K, Kasai S, Onodera K, Sawa M, Imai M, Kawahara T, Mito M. Effect of hepatocyte growth factor (hHGF) on the proliferation of transplanted hepatocytes in the spleen. *Transplantation Proceedings* 1997; 29: 2029-2031.
5. Robson SC, Imai M, Sévigny J, Guckelberger O, Schulte am Esch II J, Gaciong Z, Kaczmarek E, Rosenberg RD, Enjoji K. Perturbations in hemostasis and thrombosis in cd39-mutant mice: implications for experimental therapeutics of CD39/NTPDase-1. In *Proceeding of the Second International Workshop on Ecto-ATPases and Related Ectonucleotidases* (Vanduffel L, ed.) Shaker Publishing BV, Maastricht, The Netherlands, pp 209-219.
6. Imai M, Takigami K, Guckelberger O, Lin Y, Sevigny J, Kaczmarek E, Goepfert C, Enjoji K, Bach FH, Rosenberg RD, Robson SC. CD39/vascular ATP diphosphohydrolase modulates xenograft survival. *Transplant Proc.* 2000 Aug;32(5):969.
7. Gopfert C, Buhler L, Wise R, Basker M, Gojo S, Imai M, Alwayn I, Sachs DH, Sackstein R, Cooper DK, Robson SC. Von willebrand factor concentration, multimeric patterns, and cleaving protease activity in baboons undergoing xenogeneic peripheral blood stem cell transplantation. *Transplant Proc.* 2000 Aug;32(5):990.
8. Imai M. HCV treatment: present practice and the significance. *Takasaki Med J.* 2019; 69: 39-43

## **Reviews and Editorials**

1. Robson SC, Sevigny J, Imai M, Enjoji K. Thromboregulatory potential of endothelial CD39/nucleoside triphosphate diphosphohydrolase: modulation of purinergic signalling in platelets. *Emerging Therapeutic Targets*; 2000: 4: 155-171.

2. Robson SC, Enjyoji K, Goepfert C, Imai M, Kaczmarek E, Lin Y, Seigny J, Warny M. Modulation of extracellular nucleotide-mediated signaling by CD39/nucleoside triphosphate diphosphohydrolase-1. *Drug Development Research*; 2001; 53: 193-207.
3. Imai M. The 119<sup>th</sup> congress of the German Surgical Society and Charite, Campus Virchow-Klinikum. *J Jap Surg Society*; 2002; 103: 629-631

## **Clinical Communications**

1. Tsuji Y, Imai M, Katsuki Y, Yasuda T, Nishimura A. A case of liver metastasis from bile duct cancer effectively treated with hepatic artery infusion chemotherapy. *Jap J Cancer Chemo* 1994; 21: 2194-2197.
2. Takahashi M, Yanagida N, Kurauchi N, Okano M, Imai M, Meguro J, Kukita K, Yonekawa M, Kawamura K. Diabetic renal failure and lung congestion. *Intensive Therapy* 1995 ; 7 Suppl : 65-66.
3. Yanagida N, Kurauchi N, Imai M, Okano M, Takahashi M, Tamaki T, Meguro J, Kukita K, Yonekawa M, Kawamura K. A case report of living-related kidney transplantation with difficult discrimination between acute rejection and cyclosporine- induced nephrotoxicity. *J Sapporo Med Assoc* 1995; 155: 128-132.
4. Imai M, Kukita K, Yanagida N, Kurauchi N, Okano M, Takahashi M, Tamaki T, Meguro J, Yonekawa M, Kawamura K. Management for acute hemorrhage on patient with chronic renal failure. *J Sapporo Hosp Assoc* 1995; 15: 98-100.
5. Kato K, Kasai S, Matsuda M, Onodera K, Kato J, Imai M, Mito M, Saito T. A new technique for laparoscopic cholecystectomy - Retrograde laparoscopic cholecystectomy - An analysis of 81 cases. *Endoscopy* 1996; 28: 356-359.
6. Kato K, Matsuda M, Ingu A, Imai M, Kasai S, Mito M, Kobayashi T. Colon cancer with a high serum  $\alpha$ -fetoprotein level. *Am J Gastroenterol* 1996; 91: 1045-1046.

7. Imai M, Kato K, Kino S, Kamiya K, Matsuda M, Kasai S, Mito M. Experience with laparoscopic cholecystectomy for management of chronic cholecystitis with severe adhesion : Report of a case. *J Jap Biliary Assoc* 1996; 10: 169-174.
8. Kato K, Matsuda M, Aoki H, Imai M, Onodera K, Kasai S, Mito M, Kobayashi T. A successful treatment for mucosal prolapse syndrome by the steroid enema therapy in a postoperative patient of mesenteric panniculitis. *Japanese J Gastro-enterology* 1996; 93: 565-568.
9. Kato K, Matsuda M, Onodera K, Kino S, Kamiya K, Imai M, Waku K, Kasai S, Mito M. Successful treatment of a rectal lesion by transanal endoscopic microsurgery. *Clin J Surg* 1996; 58: 1133-1137.
10. Kato K, Matsuda M, Imai M, Kasai S, Saito T, Mito M. Successful Treatment of a rectal anastomotic stenosis by transanal endoscopic microsurgery (TEM) using the contact ND:YAG laser. *Surg Endosco* 1997; 11: 485-487.
11. Kato K, Matsuda M, Imai M, Kasai S, Mito M. A new trocar insertion site for laparoscopic surgery : the Xiphoidal Approach. *Surg Technol Internatio* 1998; 6: 127-131.
12. Kato K, Matsuda M, Onodera K, Sakata H, Imai M, Kasai S, Kobayashi T. Successful Treatment of a rectal lesion by transanal endoscopic microsurgery with the ultrasonically activated scalpel-A new technical report. *Mimimally Invasive Therapy & Allied Technologies* 1998; 7: 307-310.
13. Kawabata N, Kato K, Imai M, Kasai S, Mito M. Experience of using Endopath disposable 33mm Trocar (LTK33) in laparoscopic cholecystectomy. *Clin J Surg* 1998; 60: 314- , 1998.
14. Kato K, Onodea K, Sakata H, Matsuda M, Imai M, Ksai S. An automatic stapling device for laparoscopic cholecystectomy in sevre cholecystitis. *Endoscopic Surgery* 1998, 473-476.
15. Imai M, Kondo Y, Okada K, Osawa S, Ishizu H, Masuko H, Nishida Y, Uebayashi T, Takahashi M, Watanabe N, Aoki G, Osada T, Ishiyama G. An analysis of 34 cases of esophagus cancer patients with esophagectomy in resent 5 years. *Hokkaido Noson Igakkaishi* 2001; 33: 106-107.
16. Ishizu H, Kondo Y, Okada K, Osawa S, Masuko H, Imai M. Three cases of malignant cystic tumor of the liver. *J Jap Surg Asso* 2002; 63: 2234-2239.

17. Imai M, Kondo Y, Osawa S, Nishida Y, Okada K, Ishizu H, Masuko H, Hata T, Uemura K, Kina M, Honda S, Ishiyama G, Takahashi T, Hino A. Clinicopathological Characteristics of Superficial Spreading Type Early Gastric Cancer. *J Surg Oncol* 2003; 83: 94-98.
18. Imai M, Kondo Y, Masuko H, Okada K, Osawa S, Ishizu H, Nishida Y, Hata T, Uemura K, Kina M, Honda S, Ishiyama G, Takahashi T, Hino A. Distant Peritoneal Metastasis to Mesh-Plug Prosthesis in a Gastrointestinal Cancer Patient: Report of a Case. *Surg Today* 2003; 33: 864-866.
19. Inagaki M, Obara M, Kino S, Hagiwara M, Yamazaki H, Ishizaki A, Imai M, Tokusashi Y, Miyokawa N, Kawashima T, Hasebe C, Kasai S. Small cell carcinoma of the gallbladder: report of a case. *Hokkaido J. Surg* 2003; 48: 158-161.
20. Aoki K, Imai M, Kanke D, Kumano H, Tanaka M, Komori T, Sunagawa M. Simultaneous Existence of Gastrointestinal Stromal Tumor and Adenocarcinoma in the Stomach with Gastrointestinal Hemorrhage – Report of a Case. *Nihon Gekakei Rengou Gakkaishi* 2015; 40: 699-704
21. Hirosawa T, Morimoto N, Miura K, Tahara T, Murohisa T, Okamura Y, Sato T, Numao N, Imai M, Tano S, Murayama K, Kurita H, Ozawa I, Fukaya Y, Yoshizumi H, Watanabe S, Tsukui M, Takaoka Y, Nomoto H, Isoda N, Yamamoto H. No Regional Disparities in Sofosbuvir Plus Ribavirin Therapy for HCV Genotype 2 Infection in Tohigi Prefecture and its Vicinity. *Internal Medicine* 2018: 1194-18
22. Aoki K, Imai M, Mori K, Ishii T, Kumano H, Kusakabe T. A case of goblet cell carcinoid coexist with low grade appendiceal mucinous neoplasm of the appendix. *Nihon Gekakei Rengou Gakkaishi* 2022
23. Watanabe N, Imai M, Aoki K, Shinjyo T, Ishii T, Kumano H, Sunagawa M. Trans epiploic hernia: a report of two cases and literature review of 247 cases with trend of five years in Japan. *J Abdo Emerg Med* (submitted)



## **Thesis**

**Imai M. High incidence of K-ras gene mutations in extrahepatic biliary tract tumors detected by PCR-denaturing gradient gel electrophoresis.**

**PhD Thesis: Asahikawa Medical College, 1992**

## **Abstracts (English presentation)**

- 1. Ogawa K, Imai M, Hoshi T, Ohta T. Identification of K-ras and p-53 gene mutations by GC-clamped DGGE in human and animal cancers. Proc. 83Th Annual Meeting of AACR, San Diego, USA 1992; 33: 111.**
- 2. Hoshi T, Imai M, Ogawa K, Mito M. Frequent K-ras mutations and absence of p53 mutations in mucin-producing tumors of the pancreas. ABSTRACT BOOK XXVIII Congress of ESSR, Turku, Finland 1993; 29: 129.**
- 3. Imai M, Hoshi T, Ogawa K, Mito M. High incidence of K-ras gene mutations in extrahepatic biliary tract tumors detected by PCR-denaturing gradient gel electrophoresis. ABSTRACT BOOK XXVIII Congress of ESSR, Turku, Finland 1993; 29: 130.**
- 4. Kukita K, Yanagida N, Kurauchi N, Okano M, Imai M, Takahashi M, Meguro J, Tamaki T, Yonekawa M, Kawamura K, Kasai M, Kohgo Y. The transferrin receptor and hemopoiesis of maintenance hemodialysis patients. Proc. Xth World Congress of International Society for Artificial Organs; 1995 Nov 14-18; Taipei, Taiwan**
- 5. Kato K, Matsuda M, Imai M, Kasai S, Saito T, Mito M. Transanal endoscopic microsurgery (TEM) using contact laser for rectal anastomotic stenosis. Proc. 5Th World Congress of Surgical Endoscopy, Philadelphia, USA 1995; 5: 212.**
- 6. Inagaki M, Maguchi M, Suzuki S, Imai M, Kamiya K, Kino S, Kasai S, Mito M. A study of 36 operative cases with mucin-producing tumor of the pancreas. Proc. 87Th Annual Meeting of AACR, Washington DC, USA 1996; 37: 210.**

7. Kato K, Matsuda M, Kino S, Maguchi S, Inagaki M, Imai M, Kasai S, Mito M, Saito T. A new trocar insertion site for laparoscopic surgery : Xiphoidal Approach. *Minimally Invasive Therapy & Allied Technologies* 1996; 5 Suppl 1: 104.
8. Imai M, Kato K, Matsuda M, Kino S, Maguchi S, Inagaki M, Kasai S, Mito M. Laparoscopic assistant low anterior resection using ROTICULATOR™ with a mini-laparotomy. *Minimally Invasive Therapy & Allied Technologies* 1996; 5 Suppl 1: 113.
9. Kato K, Kasai S, Onodera K, Sawa M, Imai M, Kawahara T, Mito M. Effect of the proliferation of intrasplenically transplanted hepatocytes in rats. *Cell Transplantation* 1996 ; 5(2 Suppl) : 21S.
10. Sawa M, Jiang B, Lin H, Nakazawa F, Kawahara T, Kino Y, Imai M, Mamiya N, Kato K, Kasai S, Mito M. Proliferation of intrasplenically transplanted hepatocytes in rats with chronic hepatic failure. *Cell Transplantation* 1996; 5(2 Suppl): 22S.
11. Imai M, Kawabata N, Kato K, Kawahara T, Nakazawa F, Sawa M, Kasai S, Mito M. Successful xenograft in streptozotocin induced diabetic rat using dispersed hamster islet tissue within microporous polypropylene bag. *Cell Transplantation* 1996; 5(2 Suppl): 51S.
12. Kawahara T, Kato K, Sawa M, Imai M, Kasai S, Azuma M, Yagita H, Okumura K, Futagawa S, Mito M. Effect of FAS and FAS ligand interaction on allogeneitically transplanted hepatocytes into the spleen. *Cell Transplantation* 1996 ; 5(2 Suppl) : 63S.
13. Schulte am Esch II J, Kaczmarek E, Siegel JB, Koziak K, Sévigny J, Imai M, Beaudoin AR, Bach FH, Robson SC. Mutagenesis of vascular ATP diphosphohydrolase. 39<sup>th</sup> Annual Meeting American Society of Hematology; 1997 Decem 5-9; San Diego CA
14. Schulte am Esch II J, Kaczmarek E, Siegel JB, Koziak K, Sévigny J, Imai M, Beaudoin AR, Bach FH, Robson SC. Characterization and mutagenesis of CD39/vascular ATP diphosphohydrolase. *Circulation* 1997; 96(8): 6.
15. Imai M, Robson SC. Inhibition of CD39/ATPDase in human endothelial cells by antisense oligonucleotides. *Blood* 1998; 90 (Supp 2): 77b

16. Imai M, Kaczmarek E, Koziak K, Sévigny J, Robson SC. Inhibition of CD39/ATPDase in human endothelial cells by antisense oligonucleotides. *Experimental Biology, FASEB, Washington DC, USA. FASEB J* 1999; 13(4): A200
17. Sévigny J, Enjyoji K, Lin Y, Schulte am Esch II J, Imai M, Rosenberg RD, Robson SC. Disordered hemostasis and thromboregulation in cd39-deficient mice. *Experimental Biology, FASEB, Washington DC, USA. FASEB J* 1999; 13(5): A839
18. Robson SC, Enjyoji K, Sévigny J, Lin Y, Imai M, Schulte am Esch II J, Gaciong Z, Gaciong Z, Kaczmarek E. Therapeutic potential of CD39/ATPDase for vascular inflammatory conditions. *Second International Workshop on Ecto-ATPases and Related Ectonucleotidases Diepenbeek, Belgium 1999; Abstract book p.28*
19. Imai M, Kaczmarek E, Sévigny J, Robson SC. Inhibition of ATP diphosphohydrolase/CD39 in human endothelial cells. *Second International Workshop on Ecto-ATPases and Related Ectonucleotidases Diepenbeek, Belgium 1999; Abstract book p.58*
20. Imai M, Takigami K, Kaczmarek E, Koziak K, Sévigny J, Goepfert C, Guckelgerger O, Robson SC. Adenovirus-mediated CD39 gene transfer into endothelial cells prolongs cardiac xenograft survival. *The 6<sup>th</sup> Basic Sciences Symposium of the Transplantation Society, Monterey peninsula, CA, USA 1999.*
21. Imai M, Takigami K, Guckelgerger O, Lin Y, Sévigny J, Enjyoji K, Rosenberg RD, Robson SC. CD39/Vascular ATP diphosphohydrolase modulates xenograft survival. *The 5<sup>th</sup> Congress of the Int. Xenotransplantation Association, Nagoya, Japan 1999.*
22. Imai M, Takigami K, Kaczmarek E, Koziak K, Sévigny J, Goepfert C, Guckelgerger O, Robson SC. CD39 gene transfer prolongs discordant xenograft survival. *The 5<sup>th</sup> Congress of the Int. Xenotransplantation Association, Nagoya, Japan 1999.*
23. Goepfert C, Buhler L, Wise R, Basker M, Gojo S, Imai M, Sachs DH, Sackstein R, Robson SC, Cooper DKC. Xenogeneic peripheral stem cell transplantation in baboons is complicated by a thrombotic disorder. *The 5<sup>th</sup> Congress of the Int. Xenotransplantation Association, Nagoya, Japan 1999.*

24. Imai M, Guckelberger O, Robson SC. Over-expression of CD39/ATP diphosphohydrolase exacerbates lipopolysaccharide/galactosamine induced hepatic failure. American Association for the Study of Liver Disease (AASLD), Dallas, TX, USA 1999.
25. Goepfert C, Buhler L, Alwan I, Basker M, Imai M, Tsai HM, Sachs DH, Cooper DKC, Sackstein R, Robson SC. Thrombotic thrombocytopenic purpura following peripheral blood progenitor cell xenotransplantation occurs independently of rran vWF multimer proteolysis. *Blood* 1999; 94(10) (Supp 1): 13a
26. Guckelberger O, Sévigny J, Kruskal J, Imai M, Kaczmarek E, Goepfert C, Neuhaus P, Robson SC. (1999) Ecto-nucleotidases reduce ischemia reperfusion injury in the small intestine. German Transplantation Society: 1999 Nov 25-27; Dresden, Germany. *Transplantationsmedizin Supplement* 88-89.
27. Guckelberger O, Imai M, Sévigny J, Kruskal JB, Kaczmarek E, Robson SC. Apyrase administration attenuates small intestine ischemia/reperfusion injury in mice. *J Jpn Surg Soc* 2000; 101(Supp): 36
28. Guckelberger O, Imai M, Dodson M, Sévigny J, Kahn CR, Robson SC. Impaired Hepatic Regeneration in Liver-specific insulin receptor knockout mice. *Transplant 2000 Joint American Transplant Meeting of the American Society of Transplant Surgeons and American Society of Transplantation: 2000 May 16-21; Chicago, USA*
29. Guckelberger O, Imai M, Sévigny J, Kruskal JB, Kaczmarek E, Enjyoji K, Robson SC. CD39 is a crucial modulator of platelet and endothelial cell activation in ischemic/reperfusion injury. *First Conference on Arteriosclerosis, Thrombosis, and Vascular Biology, 2000 May 20-22, Denver, CO, USA*
30. Robson SC, Guckelberger O, Sévigny J, Imai M, Enjyoji K, Rosenberg RD. CD39 is a Novel Thromboregulatory Factor with Therapeutic Potential in Vascular Disease. *First Conference on Arteriosclerosis, Thrombosis, and Vascular Biology, 2000 May 20-22, Denver, CO, USA*
31. Goepfert C, Imai M, Brouard S, Csizmadia E, Kaczmarek E, Robson SC. Vascular ATPDase CD39 Modulates EC Activation and Apoptosis. *First Conference on Arteriosclerosis, Thrombosis, and Vascular Biology, 2000 May 20-22, Denver, CO, USA*

- 32. Imai M, Goepfert C, Kaczmarek E, Guckelberger O, Sévigny J, Robson SC. CD39 Modulate IL-1 $\alpha$  Release and Synthesis from Activated Endothelial Cells. First Conference on Arteriosclerosis, Thrombosis, and Vascular Biology, 2000 May 20-22, Denver, CO, USA**
- 33. Sévigny J, Guckelberger O, Csizmadia E, Imai M, Goepfert C, Enjyoji K, Robson SC. Different Nucleoside Triphosphate Diphosphohydrolases are Associated with Endothelial Cells. First Conference on Arteriosclerosis, Thrombosis, and Vascular Biology, 2000 May 20-22, Denver, CO, USA**
- 34. Guckelberger O, Imai M, Sévigny J, Kruskal JB, Kaczmarek E, Neuhaus P, Robson SC. CD39 plays a crucial role in ischemia/reperfusion injury. XVIII International Congress of the Transplantation Society: 2000 Aug 27-Sep 1; Rome, Italy**
- 35. Imai M, Guckelberger O, Sevigny J, Lin Y, Xiaofeng S, Enjyoji K, Robson SC. CD39, the vascular nucleoside triphosphate diphosphohydrolase-1, is a crucial modulator of murine hepatic ischemia/reperfusion injury. The 7<sup>th</sup> Congress of International Liver Transplantation Society: 2001 July 11-13; Berlin, Germany**
- 36. Imai M, Kondo Y, Osawa S, Nishida Y, Okada K, Ishizu H, Masuko H, Hata T, Uemura K, Kina M. honda S, Ishiyama G, Takahashi T, Hino A. Superficial spreading type of early gastric cancer. International Gastrointestinal Cancer Conference: 2001 Sep 27-29; Innsbruck, Austria**
- 37. Robson SC, Xiaofeng S, Guckelberger O, Enjyoji K, Imai M. CD39, the vascular ecto-nucleoside triphosphate diphosphohydrolase-1, is a crucial modulator of hepatic ischemia/reperfusion injury. American Association for the Study of Liver Disease (AASLD): 2001 Nov 10-13, Dallas, TX, USA 2001.**
- 38. Imai M, Kondo Y, Osawa S, Nishida Y, Okada K, Ishizu H, Masuko H, Hata T, Uemura K, Kina M. honda S, Ishiyama G, Takahashi T, Hino A. Superficial spreading type of early gastric cancer. World Congress of Gastroenterology: 2002 February 24-March 1; Bangkok, Thailand**
- 39. Wu Y, Sun X, Imai M, Sultan B, Csizmadia E, Enjyoji K, Jackson SW, Usheva A, Robson SC. Modulation of Ras/Erk signaling by CD39/ENTPD1 during liver regeneration. American Association for the Study of Liver Disease (AASLD): 2005 Nov 11-15; San Francisco, CA, USA.**

40. Wu Y, Imai M, Sun X, Csizmadia E, Enjyoji K, Choi CH, Robson SC, Usheva A. Transcription factor YY1 and the retinoblastoma protein are downstream targets of CD39/ENTPD1 signaling pathways during liver regeneration. American Association for the Study of Liver Disease (AASLD): 2005 Nov 11-15; San Francisco, CA, USA.
41. Beldi G, Wu Y, Sun X, Imai M, Enjyoji K, Zimmermann H, Candinas D, Robson SC. The vascular ectonucleotidase CD39 is permissive for sinusoidal endothelial cell proliferation during liver regeneration. American Association for the Study of Liver Disease (AASLD): 2006 Oct 27-31; Boston, MA, USA.
42. Terao K, Ohta S, Tsuru T, Mogi S, Suzaki M, Nakashima H, Shono E, Imai M. Prediction of optimal clinical dose using pharmacokinetic/biomarker response of Tocilizumab subcutaneous injection to patients with rheumatoid arthritis. The 19<sup>th</sup> International Rheumatology Symposium: 2010 April 22-25; Kobe, Japan.
43. Ohta S, Tsuru T, Terao K, Mogi S, Suzaki M, Nakashima H, Shono E, Imai M. Subcutaneous repeated injection of Tocilizumab in patients with RA: Dose assessment study by efficacy and pharmacokinetics (Phase I/II study). The 19<sup>th</sup> International Rheumatology Symposium: 2010 April 22-25; Kobe, Japan.
44. Keeffe EB, Imai M. Randomized, Double-Blind, Placebo-Controlled study of Nitazoxanide plus Peginterferon/Ribavirin in genotype 1 naive patients: Stealth C-3, The 46<sup>th</sup> Annual Meeting of Japan Society of Hepatology: 2010 May 27-28; Yamagata, Japan.
45. Ohta S, Tsuru T, Suzaki M, Mogi S, Ikuno S, Nakajima K, Imai M, Tusumi E, Terao K. Dose prediction by pharmacokinetic and biomarker response of subcutaneous tocilizumab treatment. -A Phase I/II study evaluating the safety, pharmacokinetics and clinical response in patients with rheumatoid Arthritis. the 2010 ACR/ARHP Annual Scientific Meeting: 2010 November 6 -11, Atlanta, GA, USA.
46. Katakami N, Atagi S, Yoshioka H, Fukuoka M, Ogiwara A, Imai M, Ueda M, Matsui S. Nested case control study of proteomic biomarkers for interstitial lung disease in Japanese patients with non-small cell lung cancer treated with erlotinib. 5th Asia Pacific Lung Cancer Conference: 2012 November 25-28, Fukuoka, Japan.

- 47. Imai M, Nakamichi T, Koyanagi R, Hirashima H, Aoki K, Kumano H, Tanaka M, Komori T, Sawa M, Sunagawa M. The first safety report of high aged patients over 76 years old administered Dacrasvir and Asnaprevir in single center experience in Japan. 24<sup>th</sup> Asian Pacific Association for Study of the Liver: 2015 March 12-15, Istanbul, Turkey.**
- 48. Shimizu Y, Taketomi M, Matsuyama T, Shin R, Otani Y, Okazaki T, Fukao Y, Kano T, Io H, Imai M. Introduction and Effectiveness of Rehabilitation Therapy for a Peritoneal Dialysis Patient. 29<sup>th</sup> Annual Meeting of the Japanese Society for Dialysis Therapy; 2023 September 30-October 1, Tokyo, Japan.**